

## AMILO Pro V2055 Edition

### Your gateway to professional mobile working

Issue September 2006  
Sep / Oct Edition

Pages 3

The AMILO Pro V2055 Edition is the professional companion for the price-conscious, casual user. This notebook is the ultimate balance of valuable performance and best-in-class mobility at very attractive prices.

You have the brilliant large 15.4-inch widescreen display for a maximum viewing comfort and an ergonomic full-size keyboard. Ideal for users working both on the road and in the office, it features a built-in combo drive or DVD-writer, modem and LAN. The Wireless LAN module offers unlimited freedom of connectivity wherever you are.

#### Mobility

##### Valuable mobility at reasonable price

- Excellent price / performance ratio fits suiting all budgets
- Ready configured and constantly enhanced with latest technology

##### Convenient technology for mobile working

- Power-saving Intel® Celeron® M Processor or Intel® Core™ Duo Processor
- Ideal connectivity through built-in Wireless LAN, LAN and modem
- Ease of use through built-in CD-ROM/CD-RW combo drive or DVD burner

##### Robustness on the move

- German quality standards
- RoHS compliant for environmental friendly working
- Award-winning best-in-class manufacturing
- Mechanical and function stability through extensive quality tests

##### Ergonomics and flexibility in- and outside the office

- Enjoy the viewing quality of brilliant 15.4-inch WXGA TFT display
- Full-size keyboard for ergonomic working
- 4 x USB (2.0) ports for easy connectivity to all peripherals and external storage devices



System	AMILO Pro V2055 Edition (Sep/Oct)	AMILO Pro V2055 Edition (Sep/Oct)	AMILO Pro V2055 Edition (Sep/Oct)
<b>Processor</b>			
<b>Intel Celeron M Processor</b>	410 (1.46 GHz)	410 (1.46 GHz)	-
Second level cache	1024	1024	-
Front side bus (FSB)	533 MHz	533 MHz	-
<b>Intel® Core™ Duo Processor</b>	-	-	T2050 (1.60 GHz)
Second level cache	-	-	2048
Front side bus (FSB)	-	-	533 MHz
<b>Chipset</b>			
Northbridge	VIA VN800	VIA VN800	VIA VN800
Southbridge	VIA 8237R	VIA 8237R	VIA 8237R
<b>Memory</b>			
DDR2-533 SDRAM, 533 MHz	256MB	512MB	512MB
DIMM slots	2	2	2
<b>BIOS</b>			
BIOS Flash EPROM	Phoenix based BIOS	Phoenix based BIOS	Phoenix based BIOS
<b>Interfaces</b>			
Type I/II PC Card slot	1	1	1
USB 2.0	4	4	4
VGA	1	1	1
Modem RJ-11	1	1	1
LAN RJ-45	1	1	1
Audio-in (line-in / microphone)	1	1	1
Audio-out (line-out / headphone)	1	1	1
DC-in	1	1	1
<b>Modem on board</b>			
56K V.90 modem MDC1.5	x	x	x
<b>LAN on board</b>			
Built-in 10/100 Mbps Fast Ethernet LAN (VIA VT6103L)	x	x	x
<b>Wireless Technologies (WLAN)</b>			
Import and usage according to country-specific regulations. Dual band diversity antenna GemTek 802.11 BG Wireless LAN (Broadcom BCM4318 chip)	x	x	x
<b>Audio</b>			
Stereo speakers	x	x	x
Sound chip	RealTek ALC655 AC97 CODEC 2.3Sound controller embedded in VIA 8237R	RealTek ALC655 AC97 CODEC 2.3Sound controller embedded in VIA 8237R	RealTek ALC655 AC97 CODEC 2.3Sound controller embedded in VIA 8237R
<b>Keyboard and pointing device</b>			
Keyboard	87 keys, 19mm pitch, 2.5mm key stroke with two mouse buttons	87 keys, 19mm pitch, 2.5mm key stroke with two mouse buttons	87 keys, 19mm pitch, 2.5mm key stroke with two mouse buttons
Touchpad	3 keys for Internet, e- mail, wireless LAN on/off	3 keys for Internet, e- mail, wireless LAN on/off	3 keys for Internet, e- mail, wireless LAN on/off
Launch keys	x	x	x
Status LED	x	x	x
<b>Graphics</b>			
Integrated in VIA N800 with UniChrome Pro 3D/2D technology up to 64 MB shared memory	x	x	x
<b>Display</b>			
15.4-inch TFT WXGA / 1280 x 800 pixel Max. resolution for external displays	x 1280 x 1024 / true color / 85 Hz 1600 x 1200 / true color / 60 Hz	x 1280 x 1024 / true color / 85 Hz 1600 x 1200 / true color / 60 Hz	x 1280 x 1024 / true color / 85 Hz 1600 x 1200 / true color / 60 Hz
<b>Hard disk drives (internal) *</b>			
40 GB S-ATA 150 (5400 rpm)	x	-	-
60 GB S-ATA 150 (5400 rpm)	-	x	x
* 1 Gbyte equals one billion bytes, when referring to hard disk drive capacity; accessible capacity may vary, also depending on used software and tool.			
<b>Fixed drives</b>			
DVD/CD-RW combo drive	x	-	-
DVD+/- rw Dual layer (+R) Multiformat DVD writer with double layer support	-	x	x
<b>DeskUpdate</b>	<b>x</b>	<b>x</b>	<b>x</b>
Driver Management	x	x	x
<b>Supported Standard</b>			
PXE	x	x	x
<b>Security</b>			
<b>Physical security</b>			
Kensington Lock support	x	x	x
<b>System security</b>			
Norton Internet Security Symantec	x	x	x
<b>User security</b>			

User and supervisor BIOS password	x	x	x
-----------------------------------	---	---	---

System	AMILO Pro V2055 Edition (Sep/Oct)	AMILO Pro V2055 Edition (Sep/Oct)	AMILO Pro V2055 Edition (Sep/Oct)
<b>Power supply</b> 1st Li-Ion battery 6 cell, 4400 mAh (46,6 Wh) Battery runtime: First battery * (Mobile Mark 2002) [up to] AC adapter 19V/65W Adapter Rated voltage (AC input) 100 - 240 V Rated frequency 50 - 60 Hz DC output 19 V, 3.42 A * Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	x  2.5 h  x	x  2.5 h  x	x  2.5 h  x
<b>Operating temperatures</b> Relative humidity (non-condensing) Ambient temperature	20% - 85% 5° - 35° C	20% - 85% 5° - 35° C	20% - 85% 5° - 35° C
<b>Dimensions / Weight</b> Dimensions (H x W x D) Weight* * Weight may vary depending on actual configuration	24~39 x 357 x 271 mm 2.9 kg	24~39 x 357 x 271 mm 2.9 kg	24~39 x 357 x 271 mm 2.9 kg
<b>Certificates</b> CE Marking R&TTE CTR21 RoHS WHQL	x x x x x	x x x x x	x x x x x
<b>Operating System</b> Fujitsu Siemens Computers recommends Microsoft® Windows® XP Professional Microsoft Windows XP Professional	x	x	x
<b>Software</b> (compatibility / preinstalled) Adobe Acrobat Reader Driver and Utility CD Easy Guide on-line user documentation Nero Norton Internet Security (incl. Firewall) on Driver and Utility CD	x x x x x	x x x x x	x x x x x
<b>Accessories</b> (order number) AC-adapter Case Port Replicator (USB) WinDVD 7 Battery Modem adapter set 1: D, UK Modem adapter set 2: Sw, No, Fi, Dk Modem adapter set 3: CH, A, B, NL, F, I, E, POR <a href="http://www.fujitsu-siemens.com/accessories/">http://www.fujitsu-siemens.com/accessories/</a>	S26391-F321-L100 Value case S26391-F119-L50 S26391-F6007-L100 S26361-F2598-L20 First Li-Ion battery 6 cells S26391-F6120-L450 S26361-F3145-L10 S26361-F3145-L20 S26361-F3145-L30	S26391-F321-L100 Value case S26391-F119-L50 S26391-F6007-L100 S26361-F2598-L20 First Li-Ion battery 6 cells S26391-F6120-L450 S26361-F3145-L10 S26361-F3145-L20 S26361-F3145-L30	S26391-F321-L100 Value case S26391-F119-L50 S26391-F6007-L100 S26361-F2598-L20 First Li-Ion battery 6 cells S26391-F6120-L450 S26361-F3145-L10 S26361-F3145-L20 S26361-F3145-L30

This datasheet describes the standard configuration for September / October 2006. Special configuration may vary depending on countries.